

MONDOLUX™

Pacto
By Design



PACTO BY DESIGN

We are proud to present our new Pacto By Design, a versatile, low-voltage system in pure brass. This system is surface mounted and suitable for all ceiling types, and can be designed to any length and configuration with the help of special fasteners. This range can be installed at any stage of the build.

Pacto By Design is equipped with a wide range of fixtures that can be installed at any desired place and easily moved along the track to create various combinations and lighting scenarios. Luminaires have high light characteristics and colour rendering indicators, as well as modern optical lenses.

The system supports lighting control via DALI, 1-10V, classic switchers or BLUETOOTH using CASAMBI app.






PURE BRASS

The whole system (tracks, fasteners and fixtures) is made of pure brass.

The surface of all elements is additionally brushed, providing a refined matte effect.




EASY TO INSTALL

This system does not require mounting into the ceiling and can be easily installed on different surfaces at any stage of the build.




OUTSTANDING DESIGN

Minimalistic design with a track size of only 9x15mm.



VARIOUS CONFIGURATIONS

Pacto By Design track system can be cut to desired length, with swivel elements and other fasteners enabling the possibility to develop a custom made system configuration.



CUSTOMISED RINGS

The Pacto By Design is available in four standard diameters: 880mm, 1200mm, 1500mm, 1800mm. The bigger size can be customised on request.


DISCREET DESIGN

Power cable output and mounting base thread are concealed by brass plate for a sleek design.



EASY TO CHANGE

The luminaires can be installed at any necessary place and easily moved along the track.



WIDE RANGE OF LUMINAIRES

The series is featured with rotary, linear, decorative luminaires of various power and beam angles. The fixtures can be easily combined with each other to create various lighting scenarios.





HIGH QUALITY OF LIGHT PERFORMANCE

The fixtures are distinguished by superb light characteristics, colour rendering index and outstanding optical lenses.

CUTTING-EDGE TECHNOLOGY

The system supports lighting control via DALI, 1-10V, classic switchers or BLUETOOTH using CASAMBI app.






UNIQUE DESIGN

The versatile Pacto By Design system is a unique and revolutionary design.

PACTO BY DESIGN
FINISHES

A truly customisable,
architectural range that is
available in other classic
finishes including;



- Black
- Titanium
- Rose Gold



CONUS A* /
CONUS B*



CHANCE* /
JOIN*




*Discuss availability with
your sales representative.
Available on limited special orders.


LIGHTING FIXTURES

PISA FIXED

Fixture that sends light down towards the floor.




DV11




DV12

PISA FIXED

Decorative acrylic diffuser creates soft lighting effect. Can be easily installed on Fixed version.




DV21




DV22

PISA ADJUSTABLE

Adjustable fitting suitable for accent lighting.




DV31




DV32

PISA FIXED

Decorative acrylic diffuser for a soft lighting effect.



DV23




DV24

VICENZA TINY


Decorative acrylic diffuser creates a soft lighting effect.

VICENZA MINI

Glass diffuser provides 280° angle of light.




DV41



DV42

LUCCA

Recessed light sources within fitting to provide a high level of visual comfort.





DV51

TECHNICAL INFORMATION
OF LIGHTING FIXTURES


PISA FIXED

Medium beam angle
4 W / 10 W





PISA FIXED

Medium beam angle
4 W / 10 W





PISA ADJUSTABLE

Medium beam angle
4 W / 10 W



PISA FIXED

Wide beam angle
4 W / 8 W





VICENZA TINY

Wide beam angle
4 W


VICENZA TINY

Wide beam angle
4 W



LUCCA

Medium beam angle
4 W / 10 W



CONNECTING ELEMENTS

BASE
50 / 100 / 200
Surface mounting stand.
Length 50 / 100 / 200 mm

EXT 47
Extension stand.
Length 47 mm

PISA
Track light fixture

180°
Conductive
fastener


POWER BASE

90°
Right-angle
conductive fastener

TRACK CON
Single fastener for the track


**TRACK
POWER CON DUO**
Dual conductive track fasteners

SYSTEM CONFIGURATION




CONNECTING THE POWER BASE FOR THE TRACK

POWER BASE






INSTALLING DOUBLE CONDUCTIVE FASTENERS FOR THE TRACKS

TRACK POWER CON DUO | BASE 50 / 100 / 200 | EXT 47






INSTALLATION OF A SINGLE FASTENER FOR THE TRACK

TRACK CON | BASE 50 / 100 / 200



CONNECTING TWO TRACKS

TRACK FIX | BASE 50 / 100 / 200















Contact us Today
to find out more about
Pacto By Design.

MONDO**LUX**[™]

- T** 1300 601 931
- E** contact@mondolux.com
- W** mondolux.com.au

Distributed by

aglo[™]

- W** aglosystems.com.au